

RAW SEQUENCE LISTING

**The Biotechnology Systems Branch of the Scientific and Technical
Information Center (STIC) no errors detected.**

Application Serial Number: 09/690.173

Source: _____

Date Processed by STIC: _____

ENTERED



IFW16

RAW SEQUENCE LISTING

DATE: 01/18/2005

PATENT APPLICATION: US/09/690,173

TIME: 17:35:18

Input Set : N:\CrF3\RULE60\09690173.raw.txt

Output Set: N:\CRF4\01182005\I690173.raw

1 <110> APPLICANT: Shannon, Karen W.
 2 <120> TITLE OF INVENTION: Method for Linear mRNA Amplification
 3 <130> FILE REFERENCE: 10990638-1
 4 <140> CURRENT APPLICATION NUMBER: US/09/690,173
 5 <141> CURRENT FILING DATE: 2000-10-16
 6 <150> PRIOR APPLICATION NUMBER: US/09/322,692
 7 <151> PRIOR FILING DATE: 1999-05-28
 8 <160> NUMBER OF SEQ ID NOS: 1
 9 <170> SOFTWARE: FastSEQ for Windows Version 3.0
 11 <210> SEQ ID NO: 1
 12 <211> LENGTH: 46
 13 <212> TYPE: DNA
 14 <213> ORGANISM: Artificial Sequence
 15 <220> FEATURE:
 16 <223> OTHER INFORMATION: primer
 17 <220> FEATURE:
 18 <221> NAME/KEY: variation
 19 <222> LOCATION: (45)...(46)
 20 <223> OTHER INFORMATION: V=A, C or G
 21 <223> OTHER INFORMATION: N=A, G, C or T

W--> 22 <400> 1

W--> 23 aattaatacgc actcactata gggagatttt tttttttttt ttttvn

46

RAW SEQUENCE LISTING ERROR SUMMARY

DATE: 01/18/2005

PATENT APPLICATION: US/09/690,173

TIME: 17:35:19

Input Set : N:\Crf3\RULE60\09690173.raw.txt

Output Set: N:\CRF4\01182005\I690173.raw

Please Note:

Use of n and/or Xaa have been detected in the Sequence Listing. Please review the Sequence Listing to ensure that a corresponding explanation is presented in the <220> to <223> fields of each sequence which presents at least one n or Xaa.

Seq#:1; N Pos. 46

VERIFICATION SUMMARY

PATENT APPLICATION: US/09/690,173

DATE: 01/18/2005

TIME: 17:35:19

Input Set : N:\CrF3\RULE60\09690173.raw.txt

Output Set: N:\CRF4\01182005\I690173.raw

L:22 M:258 W: Mandatory Feature missing, <220> Tag not found for SEQ ID#:1

L:23 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1 after pos.:0